



SLX 2000

Technical specifications

Lifting height	5,25m / 17.22ft
Extension of arm	2x 1150mm / 2x 3.77ft
Tilt	65° back / 98° fwd
Side shift	100mm / 4in
Charging voltage	230V / 110V
Charging time*	Approx. 8 hrs.
Running period*	Up to 10 hrs.
Front-wheel drive	2x1500W
Width	1,01m / 3.31ft
Curb weight (w/o tool)	1.750kg / 3860lb




*Depending on battery option




SLX 2000 – Attachment – Vacuum yoke

Technical specifications

Max. lifting capacity	1000kg / 2200lb
Lifting height	5,85m / 19,19ft
Horizontal reach	2,70m / 8,85ft
Rotation	Endless
Turn	88°
Suction cups	6 pcs.
Suction cup size	400mm / 16in
Attachment weight	150kg / 330lb



Load chart – Vacuum yoke



SLX 2000 – Attachment – Hydraulic winch – Single line configuration

Technical specifications



Max. lifting capacity	800kg / 1760lb
Lifting height	4,50m / 14,76ft
Horizontal reach	2,60m / 8,53ft
Wire rope, non-rotating, 8mm	50m / 164ft
Attachment weight	70kg / 154lb

Winch

Layer	Max load
1	800kg / 1760lb
2	800kg / 1760lb
3	800kg / 1760lb
4	800kg / 1760lb

Wire rope

Construction	37x7
Diameter	8mm / 5/16in
Length	50m / 54,68yd



SLX 2000 – Attachment – Hydraulic winch – Dual line configuration

Technical specifications

Max. lifting capacity	1500kg / 3300lb
Lifting height	4,50m / 14,76ft
Horizontal reach	2,60m / 8,53ft
Wire rope, non-rotating, 8mm	50m / 164ft
Attachment weight	75kg / 165lb

Winch



Layer	Max load
1	1500kg / 3300lb
2	1500kg / 3300lb
3	1500kg / 3300lb
4	1500kg / 3300lb

Wire rope


Construction	37x7
Diameter	8mm / 5/16in
Length	50m / 54,68yd

Hook block

Type	7-9mm
Model	2000kg / 4400lb




Load chart – Hydraulic winch




SLX 2000 – Attachment – Lifting hook

Technical specifications

Max. lifting capacity	1400kg / 3085lb
Lifting height	5,35m / 17.55ft
Horizontal reach	2,50m / 8.20ft
Effective length	320mm / 12.60in
Attachment weight	20kg / 44lb








Load chart – Lifting hook




SLX 2000 – Attachment – Pallet fork

Technical specifications

Max. lifting capacity	800kg / 1765lb
Lifting height	4,35m / 14.27ft
Horizontal reach	3,00m / 9.85ft
Fork length	1,20m / 3.94ft
Fork width	0,79m / 2.60ft
Transport length	1,41m / 4.64ft
Transport height	300mm / 11.80in
Attachment weight	80kg / 176lb




Load chart – Pallet fork



SLX 2000 – Attachment – Fly-Jib

Technical specifications

Max. lifting capacity	800kg / 1765lb
Lifting height	5,85m / 19.19ft
Horizontal reach	3,00m / 9.85ft
Effective length	800mm / 2.62ft
Attachment weight	30kg / 66lb



Load chart – Fly-Jib

